Time Stamp	2007/05/15 17:40	2007/05/15 17:42	2007/05/15 17:49	2007/05/15 17:51	2007/05/15 17:52	2007/05/15 17:52
Plurals	NO	NO	N O	NO	N O	NO
Default Operator	g		g .	g.	SO.	S.
DBs	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
Hits Search Query	2356 370/328.ccls.	6 "736698".ap.	83961 ((base adj2 station) radio\$base rbs) and ((mobile adj2 station) portable remote handheld)	21350 S3 and (channel link) with (quality condition type)	4099 S4 and modulation with (type scheme)	1523 S5 and buffer\$3
Ref #	21	25	83	S4	S5	98

89	410	S6 and (determi\$4 with modulation)	US-PGPUB; USPAT; EPO; JPO;	OR	N O	2007/05/15 17:54
			DERWENT; IBM_TDB			
S10	216	S9 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/17 09:40
S11	83961	((base adj2 station) radio\$base rbs) and ((mobile adj2 station) portable remote handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	۵. م	NO O	2007/05/16 07:49
S12	21350	S11 and (channel link) with (quality condition type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/16 10:10
S13	4099	S12 and modulation with (type scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/17 09:38
S14	1523	S13 and buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/16 07:49
S15	410	S14 and (determi\$4 with modulation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO O	2007/05/16 07:49

216 S15 and (@ad<="20021217" or @rlad<="20021217")			US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	NO .	2007/05/18 10:29
27 S16 and pad\$3	S16 and pad\$3	· .	USPAT; USPAT; EPO; JPO; DFRWENT	OR.	NO ,	2007/05/16 07:50
14 S16 and (pad\$3 or fill\$3) near3 (bit character)			IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S S	NO	2007/05/16 08:44
1423 (channel link) near4 quality and (amount size) near3 (data buffer\$3)and modulation near3 (type scheme)	(channel link) near4 quality and (amount size) near3 (data b modulation near3 (type scheme)	uffer\$3)and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	NO	2007/05/16 08:46
988 S19 and (@ad<="20021217" or @rlad<="20021217")			US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/16 10:11
954 S11 and adaptive near3 modulation			US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	NO	2007/05/16 10:10
469 S21 and (@ad<="20021217" or @rlad<="20021217")			USPAT; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/16 10:11

2007/05/16 10:20	2007/05/16 10:54	2007/05/16 10:56	2007/05/16 11:19	2007/05/16 12:18	2007/05/16 12:10	2007/05/16 12:10
NO	NO	NO .	NO .	NO	NO	NO .
OR .	S	OR	OR	OR	OR M	OR
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S22 and (amount size) near4 data	S22 and (amount size) near4 (data buffer\$3)	S22 and (amount size) near4 (data buffer\$3) same less with ((transmission adj2 block adj2 size) or TBS)	S22 and (amount size) near4 (data buffer\$3) and ((transmission adj2 block adj2 size) or TBS)	S22 and (amount size) near4 (data buffer\$3) and ((transmission adj2 block) or TBS)	"6330288".pn.	"6167031".pn.
186	189	0	12	25	7	7
823	S24	S25	S26	227	828	829

S30	26	S22 and (amount size quantity) near4 (data buffer\$3) and ((transmission adj2 block) or TBS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SO.	NO	2007/05/16 12:20
S31	198	S22 and (amount size quantity) near4 (data buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SO .	NO 4	2007/05/16 12:21
232	278	S22 and (amount size quantity) same (data buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO O	2007/05/16 12:21
533	20	(modulation with (type scheme) or (adaptive near3 modulation)) same (buffer with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/17 10:54
534	32	S33 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	No.	2007/05/17 09:48
535	26	(modulation with (type scheme) or (adaptive near3 modulation)) same ((buffer\$ queue) with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	8	2007/05/21 07:41
536	34	S35 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	NO O	2007/05/17 12:56

537	107	(modulation with (type scheme) or (adaptive near3 modulation)) same ((buffer\$ queue) with (size amount))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/17 10:12
238	09	S37 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N _O	2007/05/17 10:55
	280	(modulation with (type scheme) or (adaptive near3 modulation)) same (pad\$5 stuff\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO O	2007/05/17 12:54
	215	S39 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	S	2007/05/17 10:55
S41	3926	(modulation with (type scheme) or (adaptive near3 modulation)) same (pad\$5 stuff\$3 wad\$4 fill\$3 pack\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	S	2007/05/17 12:55
S42	1907	(modulation with (type scheme) or (adaptive near3 modulation)) with (pad\$5 stuff\$3 wad\$4 fill\$3 pack\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	8	2007/05/17 12:57
543	1003	S42 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/17 12:57

2007/05/17 15:52	2007/05/17 15:53	2007/05/17 16:36	2007/05/17 16:43	2007/05/17 16:22	2007/05/17 16:23	2007/05/17 16:26
NO O	So	N O	S	N _O	No.	NO
8	OR .	SO.	OR	OR	S	OR
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
(modulation with (type scheme) or (adaptive near3 modulation)) with (pad\$5 stuff\$3 wad\$4 fill\$3 packing)	S44 and (@ad<="20021217" or @rlad<="20021217")	throughput with (pad\$5 stuff\$3 wad\$4 fill\$3)	S46 and (@ad<="20021217" or @rlad<="20021217")	S47 and modulation	"20030147371".pn.	"7133379".pn.
186	133	3451	2718	128	N·	7
544	245	546	247	848	849	

EAST Search History

S51	24	throughput with (minimum near3 (pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/17 16:41
S52	4	(transmission near4 size) with (minimum near3 (pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO O	2007/05/17 16:42
S53	200	(transmission near4 size) with ((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO .	2007/05/17 16:47
S54	145	S53 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO .	2007/05/17 16:47
S55	17	(transmission near4 size) with (minim\$3 with (pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/17 16:52
S56	O	S55 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SO	NO	2007/05/17 16:53
S57	45316	(minim\$3 with (pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/17 16:52

5/22/2007 4:23:06 PM C:\Documents and Settings\gvianadiprisco\My Documents\EAST\Workspaces\Chen.wsp

S58	68	modulation with (minim\$3 with (pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S S	NO .	2007/05/17 16:57
S29	29	S58 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/17 16:57
260	612	modulation near4 ((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S.	NO	2007/05/18 10:28
S61	459	S60 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S.	NO	2007/05/17 17:05
S62	55	S61 and ("370".clas. or "455".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S.	NO	2007/05/17 17:05
263	2037	modulation with ((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S.	NO	2007/05/17 17:05
S64	181	S63 and ("370".clas. or "455".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S.	NO	2007/05/17 17:05

S65	140	S64 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB;	S.	NO O	2007/05/17 17:36
			USPAL; EPO; JPO; DERWENT; IBM_TDB			
995	Ω.	(transmission adj2 unit adj2 size) with ((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT;	OR	N O	2007/05/18 10:25
			EPO; JPO; DERWENT; IBM_TDB			
292	85	modulation near4 (type scheme) with((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/18 11:18
898		S67 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO O	2007/05/18 11:19
698	432	modulation near4 (type scheme)same((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	S	2007/05/18 11:17
S70	8	modulation near4 (type scheme choice chosen) with((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/18 11:19
571	448	modulation near4 (type scheme choice chosen) same((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S .	NO	2007/05/18 12:03

5/22/2007 4:23:06 PM C:\Documents and Settings\gvianadiprisco\My Documents\EAST\Workspaces\Chen.wsp

<i>S72</i>	342	S71 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT;	OR	NO	2007/05/18 12:05
			EPO; JPO; DERWENT; IBM_TDB			
S73	85	S72 and ("370".clas. "455.clas")	US-PGPUB; USPAT;	OR	NO	2007/05/18 12:05
			EPO; JPO; DERWENT; IBM_TDB			,
574	429260	(reduc\$3 minim\$5) same((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO .	2007/05/21 07:13
S75	199648	(reduc\$3 minim\$5) with((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S.	NO O	2007/05/18 12:10
S76	1361	S75 and ("370".clas. "455.clas")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO O	2007/05/18 12:58
277	1104	S76 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/18 12:10
S78	388	(reduc\$3 minim\$5) with((pad\$5 stuff\$3 wad\$4 fill\$3)) same modulation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/21 13:17

NO NO NO	NO O	N O	z
			N O
8 8 8	8	R	S.
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S78 and (@ad<="20021217" or @ S79 and ("370".clas. "455.clas") (reduc\$3 minim\$5) same((pad\$5 stand ("370".clas. "455.clas")	84 S82 and (@ad<="20021217" or @rlad<="20021217")	(transmission near4 size) same (modulation near4 (type scheme choice))	54 S84 and (@ad<="20021217" or @rlad<="20021217")
S80 S81 S82	 883	284	882

988	m	(transmission near4 size) same (modulation near4 (type scheme choice))same (pad\$5 stuff\$3 fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	& S	N O	2007/05/18 12:53
287	287	S75 and ("341".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S.	NO O	2007/05/18 12:58
288	236	S87 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/21 07:32
688	69337.	(pad\$5 stuff\$3 wad\$4 fill\$3) with (optim\$7 or optimal\$3 or efficien\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	NO O	2007/05/21 09:44
068	54989	S89 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	N. O	2007/05/21 07:38
S91	564	S90 and ("370".clas. "455.clas" "458".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/21 08:35
292	81490	(pad\$5 stuff\$3 wad\$4 fill\$3 overhead) with (optim\$7 or optimal\$3 or efficien\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/21 07:38

5/22/2007 4:23:06 PM C:\Documents and Settings\gvianadiprisco\My Documents\EAST\Workspaces\Chen.wsp

64236 S92 and (@ad		S92 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB;	98	NO	2007/05/21 08:48
			USPAI; EPO; JPO; DERWENT; IBM_TDB			
1925 S93 and ("370".clas. "455.clas" "458".clas.)			US-PGPUB; USPAT:	S.	NO	2007/05/21 09:45
			EPO; JPO; DERWENT; IBM_TDB	:		
291 S94 and (modulation with (type scheme) or (adaptive near3 modulation))		laptive near3 modulation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	A R	NO	2007/05/21 08:48
11 S91 and (transmission adj2 unit adj2 size)	S91 and (transmission adj2 unit adj2 size)		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR R	NO	2007/05/21 08:39
380 Hashem .in.			US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SO.	NO	2007/05/21 08:40
3451 (pad\$5 stuff\$3 wad\$4 fill\$3) with throughput	(pad\$5 stuff\$3 wad\$4 fill\$3) with throughput		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S S	NO	2007/05/21 08:47
63 S98 and (modulation with (type scheme) or (adaptive near3 modulation))		ptive near3 modulation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ao R	NO	2007/05/21 08:48

5/22/2007 4:23:06 PM C:\Documents and Settings\gvianadiprisco\My Documents\EAST\Workspaces\Chen.wsp

S10 0	5	S99 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S S	N O	2007/05/21 09:45
S10 1.	3007767	(pad\$5 stuff\$3 wad\$4 fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO -	2007/05/21 09:44
S10 2	18732	S101 and ("370".clas. "455.clas" "458".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/21 13:03
S10 3	15191	S102 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S S	NO .	2007/05/21 13:04
S10 4		S103 and minim\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/21 09:46
S10 5	364	S104 and (channel adj2 quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N _O	2007/05/21 13:12
S10 6	228	S105 and buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/21 13:01

5/22/2007 4:23:06 PM C:\Documents and Settings\gvianadiprisco\My Documents\EAST\Workspaces\Chen.wsp

\$10	1381	S89 and minim\$3 near4 (pad\$4 stuff\$3)	US-PGPUB;	9K	NO O	2007/05/21 13:03
\	•		USPAT; EPO; JPO; DERWENT; IBM_TDB			
S10 8	0	S106 and minim\$3 near4 (pad\$4 stuff\$3)	US-PGPUB; USPAT;	OR.	N O	2007/05/21 13:15
			EPO; JPO; DERWENT; IBM_TDB			
S10 9	88	S107 and ("370".clas. "455.clas" "458".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S.	NO .	2007/05/21 13:13
0	44	S109 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/21 13:13
S11 1	0	"I47" and (channel adj2 quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	S	2007/05/21 13:12
S11 2	0	S107 and (channel adj2 quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	No.	2007/05/21 13:12
S11 3	71	S89 and (channel adj2 quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/21 13:19

S11	31	S113 and ("370".clas. "455.clas" "458".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SO.	NO .	2007/05/21 13:18
5.	16	S114 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO .	2007/05/21 13:18
S11 6	0	S115 and minim\$3 near4 (pad\$4 stuff\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N _O	2007/05/21 13:17
511.	82296	(reduc\$3 minim\$5) near4 ((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/21 13:18
S11 8	620	S117 and ("370".clas. "455.clas" "458".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/21 13:18
S11 9	490	S118 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO O	2007/05/21 13:28
\$12 0	6	S119 and (channel adj2 quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N _O	2007/05/21 14:05

2007/05/21 14:06	2007/05/21 14:06	2007/05/21 14:07	2007/05/21 14:34	2007/05/21 14:54	2007/05/21 15:14	2007/05/21 14:55	2007/05/21 14:56
NO	NO '	N O	NO	N O	NO	NO	NO O
S S	S.	R	S.	OR	OR	OR	OR S
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	USPAT; EPO	US-PGPUB; USPAT; EPO	US-PGPUB; USPAT; EPO	US-PGPUB; USPAT; EPO	US-PGPUB; USPAT; EPO
S119 and (modulation adj2 (type scheme))	S119 and (channel link) near4 (type characteristics quality)	S122 and (modulation adj2 (type scheme choice))	(US-20040184417-\$ or US-20040081181-\$ or US-20050180450-\$ or US-20040219923-\$ or US-20040198294-\$ or US-20030202478-\$ or US-20040219923-\$ or US-20040198294-\$ or US-20050153726-\$ or US-20060205425-\$ or US-20060146863-\$ or US-20060121856-\$ or US-20060176839-\$ or US-20020155853-\$ or US-20040109424-\$ or US-20030148780-\$ or US-20030022672-\$ or US-20030148780-\$ or US-20030022672-\$ or US-20030148780-\$ or US-2003012673-\$ or US-20030131436-\$).did. or US-6553540-\$ or US-6721302-\$).did. or (EP-1381180-\$).did.	S124 and Pad\$4	S124 and (Pad\$4 and buffer\$3)	S124 and (channel adj2 quality)	1 S124 and pad\$4 and (channel adj2 quality)
. 39	147	32	52	∞	m	10	
S12 1	S12 2	S12 3	S12 4	S12 5	S12 6	S12 7	S12 8

Ì						
	0	0 S124 and pad\$4 and (link adj2 quality)	US-PGPUB; USPAT; EPO	&	NO	2007/05/21 14:56
	0	S124 and pad\$4 and (transmission adj2 quality)	US-PGPUB; USPAT; EPO	&	NO	2007/05/21 14:56
	2	S124 and pad\$4 and ((transmission cahnnel link) near3-quality)	US-PGPUB; USPAT; EPO	Ř	NO	2007/05/21 15:03
	m	S124 and pad\$4 and ((transmission cahnnel link) near3 (quality characteristics))	US-PGPUB; USPAT; EPO	&	NO	2007/05/21 15:03
	4	S124 and (Pad\$4 and (buffer\$3 memmory queue))	US-PGPUB; USPAT; EPO	S S	NO	2007/05/21 15:14